

Material Safety Data Sheet

DL-Methionine

ACC# 17927

Section 1 - Chemical Product and Company Identification

MSDS Name: DL-Methionine Product Grade : SQ Catalog Numbers: 10373 Synonyms: DL-Methionine Company Identification: Fisher Scientific Part of Thermo Fisher Scientific THERMO ELECTRON LLS INDIA PVT.LTD. Godrej Coliseum, 101A-101B, Somaiya Hospital Road, Off Eastern Express Highway, Sion (East), Mumbai-400 022, India For information, call: 022 – 6680 3001/2, Call India Toll Free – 1 800 209 7001 Emergency Number: 022-66803004/14 For CHEMTREC assistance, call: 800-424-9300 [International]

For International CHEMTREC assistance, call: 703-527-3887 [International]

Section 2 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent	EINECS/ELINCS
59-51-8	DL-Methionine	>99	200-432-1

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Appearance: white powder. **Caution!** May cause eye, skin, and respiratory tract irritation. **Target Organs:** No data found.

Potential Health Effects Eye: May cause eye irritation. **Skin:** May cause skin irritation.



Part of Thermo Fisher Scientific

Godrej Coliseum, 101 A -101 B, Somaiya Hospital Road , Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA +91-22-6680 3000 tel +91-22-6680 3001 / 02 fax



Ingestion: May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated.

Inhalation: May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.

Chronic: Adverse reproductive effects have been reported in animals.

Section 4 - First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.

Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Notes to Physician: Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust from this material can form explosive organic dust cloud.

Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Flash Point: Not applicable.

Autoignition Temperature: Not applicable.

Explosion Limits, Lower:Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 1; Flammability: 1; Instability: 0

Section 6 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in



Godrej Coliseum, 101 A -101 B, Somaiya Hospital Road , Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA +91-22-6680 3000 tel +91-22-6680 3001 / 02 fax



Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.

Section 7 - Handling and Storage

Handling: Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

Storage: Keep refrigerated. (Store below 4°C/39°F.) Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
DL-Methionine	none listed	none listed	none listed

OSHA Vacated PELs: DL-Methionine: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Section 9 - Physical and Chemical Properties



nermo Fisher	Scientific
	iermo Fisher

Godrej Coliseum, 101 A -101 B, Somaiya Hospital Road , Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA +91-22-6680 3000 tel +91-22-6680 3001 / 02 fax



Physical State: Powder Appearance: white Odor: faint odor pH: 5.6-6.1 (1% aq soln) Vapor Pressure: Not available. Vapor Density: Not available. Evaporation Rate:Not available. Viscosity: Not available. Viscosity: Not available. Boiling Point: Not available. Freezing/Melting Point:270-281 deg C (dec) Decomposition Temperature:281 deg C Solubility: 33.81 g/l @ 25°C Specific Gravity/Density:1.3400 g/cm3 Molecular Formula:C5H11NO2S Molecular Weight:149.21

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Dust generation, excess heat.
Incompatibilities with Other Materials: Strong oxidizing agents.
Hazardous Decomposition Products: Nitrogen oxides, carbon monoxide, oxides of sulfur, irritating and toxic fumes and gases, carbon dioxide.
Hazardous Polymerization: Has not been reported.

Section 11 - Toxicological Information

RTECS#: CAS# 59-51-8: PD0456000 LD50/LC50: Not available.

Carcinogenicity: CAS# 59-51-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No data available. **Teratogenicity:** No data available. **Reproductive Effects:** Adverse reproductive effects have occurred in experimental animals. **Mutagenicity:** No data available.



Part of Thermo Fisher Scientific

Godrej Coliseum, 101 A -101 B, Somaiya Hospital Road , Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA +91-22-6680 3000 tel +91-22-6680 3001 / 02 fax



Section 12 - Ecological Information

No information available.

Section 13 - Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. **RCRA P-Series:** None listed. **RCRA U-Series:** None listed.

Section 14 - Transport Information

	US DOT	Canada TDG
Shipping Name:	Not Regulated	Not Regulated
Hazard Class:		
UN Number:		
Packing Group:		

Section 15 - Regulatory Information

US FEDERAL

TSCA

CAS# 59-51-8 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.



Part of Thermo Fisher Scientific

Godrej Coliseum, 101 A -101 B, Somaiya Hospital Road , Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA +91-22-6680 3000 tel +91-22-6680 3001 / 02 fax



Section 12b

None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ. SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes

CAS # 59-51-8: fire.

Section 313 No chemicals are reportable under Section 313. **Clean Air Act:**

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depletors.

This material does not contain any Class 2 Ozone depletors.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA:

None of the chemicals in this product are considered highly hazardous by OSHA. STATE

CAS# 59-51-8 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

Not available.

Risk Phrases:

Safety Phrases:

S 24/25 Avoid contact with skin and eyes.

WGK (Water Danger/Protection)

CAS# 59-51-8: 0

Canada - DSL/NDSL

CAS# 59-51-8 is listed on Canada's DSL List.

Canada - WHMIS

This product has a WHMIS classification of D2A.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List



Part of Thermo Fisher Scientific

Godrej Coliseum, 101 A -101 B. Somaiya Hospital Road .

Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA

+91-22-6680 3000 tel +91-22-6680 3001 / 02 fax



Section 16 - Additional Information

MSDS Creation Date: 7/30/1997 **Revision #6 Date:** 10/07/2005

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Fisher be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Fisher has been advised of the possibility of such damages.



Part of Thermo Fisher Scientific

Godrej Coliseum, 101 A -101 B, Somaiya Hospital Road , Off Eastern Express Highway, Sion (E), Mumbai - 400 022, INDIA +91-22-6680 3000 tel +91-22-6680 3001 / 02 fax