





# Material Safety Data Sheet Ethyl bromide MSDS

## **Section 1: Chemical Product and Company Identification**

Product Name: Ethyl bromide

Catalog Codes: SLE1660

CAS#: 74-96-4

**RTECS: KH6475000** 

TSCA: TSCA 8(b) inventory: Ethyl bromide

CI#: Not applicable.

**Synonym:** Monobromoethane

Chemical Name: Bromoethane

Chemical Formula: CH3CH2Br

**Contact Information:** 

Sciencelab.com, Inc. 14025 Smith Rd. Houston, Texas 77396

US Sales: 1-800-901-7247

International Sales: 1-281-441-4400

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:

1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

## **Section 2: Composition and Information on Ingredients**

### Composition:

Name	CAS#	% by Weight
Ethyl bromide	74-96-4	100

**Toxicological Data on Ingredients:** Ethyl bromide: ORAL (LD50): Acute: 1350 mg/kg [Rat]. VAPOR (LC50): Acute: 13490 ppm 4 hour(s) [Rat]. 8115 ppm 4 hour(s) [Mouse].

### **Section 3: Hazards Identification**

#### **Potential Acute Health Effects:**

Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion. Slightly hazardous in case of inhalation.

#### **Potential Chronic Health Effects:**

Hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion. Slightly hazardous in case of inhalation. CARCINOGENIC EFFECTS: Classified A2 (Suspected for human.) by ACGIH. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance is toxic to blood, kidneys, the nervous system, liver. Repeated or prolonged exposure to the substance can produce target organs damage.

### **Section 4: First Aid Measures**

### **Eye Contact:**

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

#### Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

#### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

#### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

#### Ingestion:

Do not induce vomiting. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

## **Section 5: Fire and Explosion Data**

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 511.2°C (952.2°F)

Flash Points: CLOSED CUP: -10°C (14°F).

Flammable Limits: LOWER: 6.75% UPPER: 11.25%

**Products of Combustion:** These products are carbon oxides (CO, CO2).

Fire Hazards in Presence of Various Substances: Flammable in presence of open flames and sparks, of heat, of oxidizing

materials.

## **Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

#### **Fire Fighting Media and Instructions:**

Flammable liquid, soluble or dispersed in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog.

**Special Remarks on Fire Hazards:** When heated to decomposition it emits toxic fumes.

Special Remarks on Explosion Hazards: Not available.

#### Section 6: Accidental Release Measures

Small Spill: Absorb with an inert material and put the spilled material in an appropriate waste disposal.

#### Large Spill:

Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

## **Section 7: Handling and Storage**

#### Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapour/spray. Wear suitable protective clothing If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes Keep away from incompatibles such as oxidizing agents, metals, alkalis, moisture.

## Storage:

Flammable materials should be stored in a separate safety storage cabinet or room. Keep away from heat. Keep away from sources of ignition. Keep container tightly closed. Keep in a cool, well-ventilated place. Ground all equipment containing material. A refrigerated room would be preferable for materials with a flash point lower than 37.8°C (100°F).

## **Section 8: Exposure Controls/Personal Protection**

#### **Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

### **Personal Protection:**

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

## Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

## **Exposure Limits:**

TWA: 200 CEIL: 250 (ppm) TWA: 250 CEIL: 1110 (mg/m3) Consult local authorities for acceptable exposure limits.

## Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid. (Liquid.)

Odor: Ethereal.

Taste: Burning.

Molecular Weight: 108.97 g/mole

Color: Colorless.

pH (1% soln/water): 7 [Neutral.]

Boiling Point: 38.04°C (100.5°F)

Melting Point: -118.09°C (-180.6°F)

Critical Temperature: Not available.

Specific Gravity: 1.45 (Water = 1)

Vapor Pressure: 375 mm of Hg (@ 20°C)

**Vapor Density:** 3.76 (Air = 1)

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

**Ionicity (in Water):** Not available.

**Dispersion Properties:** See solubility in water, methanol, diethyl ether.

Solubility:

Partially soluble in methanol, diethyl ether. Very slightly soluble in cold water, hot water.

## Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available.

Incompatibility with various substances:

Highly reactive with oxidizing agents, metals, alkalis. Reactive with moisture.

**Corrosivity:** Non-corrosive in presence of glass.

Special Remarks on Reactivity: Reacts with water and steam to produce toxic and corrosive fumes.

Special Remarks on Corrosivity: Not available.

Polymerization: No.

## **Section 11: Toxicological Information**

Routes of Entry: Dermal contact. Eye contact. Ingestion.

**Toxicity to Animals:** 

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 1350 mg/kg [Rat]. Acute toxicity of the vapor (LC50): 8115 ppm 4 hour(s) [Mouse].

**Chronic Effects on Humans:** 

CARCINOGENIC EFFECTS: Classified A2 (Suspected for human.) by ACGIH. The substance is toxic to blood, kidneys, the nervous system, liver.

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant, permeator), of ingestion. Slightly hazardous in case of inhalation.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: Narcotic effect; may cause nervous system disturbances.

**Special Remarks on other Toxic Effects on Humans:** Material is irritating to mucous membranes and upper respiratory tract.

## **Section 12: Ecological Information**

Ecotoxicity: Not available.

BOD5 and COD: Not available.

**Products of Biodegradation:** 

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation: Not available.

## **Section 13: Disposal Considerations**

### **Waste Disposal:**

## **Section 14: Transport Information**

**DOT Classification:** CLASS 6.1: Poisonous material.

Identification: : Ethyl bromide : UN1891 PG: II

**Special Provisions for Transport:** Not available.

## **Section 15: Other Regulatory Information**

## Federal and State Regulations:

Pennsylvania RTK: Ethyl bromide Massachusetts RTK: Ethyl bromide TSCA 8(b) inventory: Ethyl bromide

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

#### Other Classifications:

### WHMIS (Canada):

CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F). CLASS D-1A: Material causing immediate and serious toxic effects (VERY TOXIC). CLASS D-2A: Material causing other toxic effects (VERY TOXIC).

### DSCL (EEC):

R11- Highly flammable. R36/38- Irritating to eyes and skin. R45- May cause cancer. R48/22- Harmful: danger of serious damage to health by prolonged exposure if swallowed.

### HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 3

Reactivity: 2

Personal Protection: h

#### National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 1

Reactivity: 0

Specific hazard:

#### **Protective Equipment:**

Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

## **Section 16: Other Information**

#### References:

-Material safety data sheet emitted by: la Commission de la Santé et de la Sécurité du Travail du Québec. -SAX, N.I. Dangerous Properties of Indutrial Materials. Toronto, Van Nostrand Reinold, 6e ed. 1984. -The Sigma-Aldrich Library of Chemical Safety Data, Edition II. -Guide de la loi et du règlement sur le transport des marchandises dangeureuses au canada. Centre de conformité internatinal Ltée. 1986.

Other Special Considerations: Not available.

Created: 10/09/2005 05:29 PM

Last Updated: 11/06/2008 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.