Material Safety Data Sheet



Difluoromethane (R32)

Section 1. Chemical product and company identification

Product name : Difluoromethane (R32)

Supplier : AIRGAS INC., on behalf of its subsidiaries

259 North Radnor-Chester Road

Suite 100

Radnor, PA 19087-5283

1-610-687-5253

Product use : Synthetic/Analytical chemistry.

Synonym : Methylene fluoride; Carbon fluoride hydride (CF2H2); Difluoromethane; Freon 32;

Genetron 32; Methylene difluoride; CH2F2; R 32

MSDS # : 001054 Date of : 4/27/2010.

Preparation/Revision

<u>In case of emergency</u> : 1-866-734-3438

Section 2. Hazards identification

Physical state : Gas. [Liquefied gas]

Emergency overview: WARNING!

EXTREMELY FLAMMABLE GAS. MAY CAUSE FLASH FIRE.

MAY BE HARMFUL IF SWALLOWED. CAN CAUSE TARGET ORGAN DAMAGE.

Keep away from heat, sparks and flame. Do not ingest. Can cause target organ damage. Use only with adequate ventilation. Wash thoroughly after handling. Keep

container closed.

Contact with rapidly expanding gases can cause frostbite.

Target organs : Causes damage to the following organs: central nervous system (CNS).

Routes of entry : Inhalation

Potential acute health effects

Eyes : Liquid can cause burns similar to frostbite.

Skin : Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or

frostbite.

Inhalation : Acts as a simple asphyxiant.

Ingestion : Ingestion is not a normal route of exposure for gases

Potential chronic health

effects MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

: CARCINOGENIC EFFECTS: Not available.

Medical conditions aggravated by overexposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

Section 3. Composition, Information on Ingredients

Name CAS number % Volume Exposure limits

Difluoromethane (R32) 75-10-5 100 AIHA WEEL (United States, 1/2009).

TWA: 1000 ppm 8 hour(s).

Page: 1/6

Section 4. First aid measures

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Eye contact

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

: In case of contact with liquid, warm frozen tissues slowly with lukewarm water. To avoid the risk of static discharges and gas ignition, soak contaminated clothing thoroughly with water before removing it. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Frostbite Inhalation

: Try to warm up the frozen tissues and seek medical attention.

: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention

immediately.

Ingestion: As this product rapidly becomes a gas when released, refer to the inhalation section.

Section 5. Fire-fighting measures

Flammability of the product

: Flammable.

Auto-ignition temperature

: 647.13°C (1196.8°F)

Flammable limits

: Lower: 14% Upper: 31%

Products of combustion

Decomposition products may include the following materials:

carbon dioxide carbon monoxide halogenated compounds

Fire-fighting media and instructions

: Use an extinguishing agent suitable for the surrounding fire.

Apply water from a safe distance to cool container and protect surrounding area. If involved in fire, shut off flow immediately if it can be done without risk.

Contains gas under pressure. Extremely flammable liquefied gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions

: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (section 8). Shut off gas supply if this can be done safely. Isolate area until gas has dispersed.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up

: Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Section 7. Handling and storage

Handling

: Wash thoroughly after handling. High pressure gas. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Do not ingest.

Storage

: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Build 1.1 Page: 2/6

Section 8. Exposure controls/personal protection

Engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

The applicable standards are (US) 29 CFR 1910.134 and (Canada) Z94.4-93

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. If contact with the liquid is possible, insulated gloves suitable for low temperatures should be worn.

Personal protection in case

of a large spill

: Self-contained breathing apparatus (SCBA) should be used to avoid inhalation of the product.

Product name

difluoromethane

AIHA WEEL (United States, 1/2009).

TWA: 1000 ppm 8 hour(s).

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Molecular weight : 52.03 g/mole Molecular formula : C-H2-F2 **Boiling/condensation point** : 30°C (86°F) Melting/freezing point : -136°C (-212.8°F) : 78.45°C (173.2°F) **Critical temperature**

Vapor density : 3.82 (air = 1) Gas Density (lb/ft 3) : Not available.

Section 10. Stability and reactivity

Stability and reactivity

The product is stable.

Incompatibility with various substances

: Highly reactive or incompatible with the following materials: oxidizing materials and acids.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization

: Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Toxicity data

Product/ingredient name Result **Species** Dose **Exposure** difluoromethane LD50 Oral Rat 1890 mg/kg LC50 Inhalation Rat 1890 g/m3 4 hours Vapor LC50 Inhalation Rat 3780 mg/m³ 1 hours Gas.

Chronic effects on humans : Causes damage to the following organs: central nervous system (CNS).

Build 1.1 Page: 3/6

Other toxic effects on humans

No specific information is available in our database regarding the other toxic effects of this material to humans.

Packing group

Additional

Label

Specific effects

Carcinogenic effects : No known significant effects or critical hazards.

Mutagenic effects : No known significant effects or critical hazards.

Reproduction toxicity : No known significant effects or critical hazards.

Section 12. Ecological information

Aquatic ecotoxicity

Not available.

Regulatory

Products of degradation: carbon oxides (CO, CO₂) and water, halogenated compounds.

Environmental fate

: Not available.

Environmental hazards

: No known significant effects or critical hazards.

Toxicity to the environment

: Not available.

UN number | Proper shipping

Section 13. Disposal considerations

Product removed from the cylinder must be disposed of in accordance with appropriate Federal, State, local regulation.Return cylinders with residual product to Airgas, Inc.Do not dispose of locally.

Class

Section 14. Transport information

information	ON Humber	name	Class	Packing group	Labei	information
DOT Classification	UN3252	DIFLUOROMETHANE OR REFRIGERANT GAS R 32	2.1	Not applicable (gas).	TO AND THE SAME THE S	Limited quantity Yes. Packaging instruction Passenger aircraft Quantity limitation: Forbidden. Cargo aircraft Quantity limitation: 150 kg Special provisions T50
TDG Classification	UN3252	DIFLUOROMETHANE; OR REFRIGERANT GAS R 32	2.1	Not applicable (gas).		Explosive Limit and Limited Quantity Index 0.125 ERAP Index 3000 Passenger Carrying Ship Index Forbidden

Build 1.1 Page: 4/6

Difluoromethane (R32)										
						Passenger Carrying Road or Rail Index Forbidden				
Mexico Classification	UN3252	DIFLUOROMETHANE OR REFRIGERANT GAS R 32	2.1	Not applicable (gas).	PLAMMABLE GAS	-				

[&]quot;Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Section 15. Regulatory information

United States

U.S. Federal regulations

: United States inventory (TSCA 8b): This material is listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations

: Connecticut Carcinogen Reporting: This material is not listed.

Connecticut Hazardous Material Survey: This material is not listed.

Florida substances: This material is not listed.

Illinois Chemical Safety Act: This material is not listed.

Illinois Toxic Substances Disclosure to Employee Act: This material is not listed.

Louisiana Reporting: This material is not listed.
Louisiana Spill: This material is not listed.
Massachusetts Spill: This material is not listed.
Massachusetts Substances: This material is not listed.
Michigan Critical Material: This material is not listed.

Minnesota Hazardous Substances: This material is not listed. **New Jersey Hazardous Substances:** This material is not listed.

New Jersey Spill: This material is not listed.

New Jersey Toxic Catastrophe Prevention Act: This material is not listed. New York Acutely Hazardous Substances: This material is not listed. New York Toxic Chemical Release Reporting: This material is not listed. Pennsylvania RTK Hazardous Substances: This material is not listed. Rhode Island Hazardous Substances: This material is not listed.

Canada

WHMIS (Canada)

: Class A: Compressed gas.

CEPA Toxic substances: This material is listed.
Canadian ARET: This material is not listed.
Canadian NPRI: This material is listed.

Alberta Designated Substances: This material is not listed. Ontario Designated Substances: This material is not listed. Quebec Designated Substances: This material is not listed.

Build 1.1 Page: 5/6

Section 16. Other information

United States

Label requirements : EXTREMELY FLAMMABLE GAS.


MAY CAUSE FLASH FIRE.

MAY BE HARMFUL IF SWALLOWED. CAN CAUSE TARGET ORGAN DAMAGE.

Canada

Label requirements : Class A: Compressed gas.

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)



Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Build 1.1 Page: 6/6