

**SIGMA-ALDRICH****Material Safety Data Sheet**Version 3.1  
Revision Date 10/12/2009  
Print Date 07/15/2010**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : 2-Propanethiol

Product Number : 59590  
Brand : Aldrich

Company : Sigma-Aldrich  
3050 Spruce Street  
SAINT LOUIS MO 63103  
USA

Telephone : +18003255832  
Fax : +18003255052  
Emergency Phone # : (314) 776-6555

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms : Isopropyl mercaptan

Formula : C<sub>3</sub>H<sub>8</sub>S  
Molecular Weight : 76.16 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
<b>Propane-2-thiol</b>			
75-33-2	200-861-4	-	-

**3. HAZARDS IDENTIFICATION****Emergency Overview****OSHA Hazards**

Flammable liquid, Irritant

**HMIS Classification**

Health hazard: 2  
Flammability: 3  
Physical hazards: 0

**NFPA Rating**

Health hazard: 2  
Fire: 3  
Reactivity Hazard: 0

**Potential Health Effects**

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.  
**Skin** May be harmful if absorbed through skin. Causes skin irritation.  
**Eyes** Causes eye irritation.

**Ingestion**

May be harmful if swallowed.

**4. FIRST AID MEASURES****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**5. FIRE-FIGHTING MEASURES****Flammable properties**

Flash point -34 °C (-29 °F) - closed cup

Ignition temperature no data available

**Suitable extinguishing media**

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Special protective equipment for fire-fighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**Further information**

Use water spray to cool unopened containers.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods for cleaning up**

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**7. HANDLING AND STORAGE****Handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**Storage**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves.

#### Eye protection

Face shield and safety glasses

#### Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Form	clear, liquid
Colour	colourless
Odour	unpleasant

### Safety data

pH	no data available
Melting point	-131 °C (-204 °F) - lit.
Boiling point	57 - 60 °C (135 - 140 °F) - lit.
Flash point	-34 °C (-29 °F) - closed cup
Ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Vapour pressure	606.56 hPa (454.96 mmHg) at 37.7 °C (99.9 °F)
Density	0.82 g/mL at 25 °C (77 °F)
Water solubility	no data available
Relative vapour density	2.63 - (Air = 1.0)

## 10. STABILITY AND REACTIVITY

### Storage stability

Stable under recommended storage conditions.

**Conditions to avoid**

Heat, flames and sparks.

**Materials to avoid**

Bases, Oxidizing agents, Reducing agents, Alkali metals

**Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

**Hazardous reactions**

Vapours may form explosive mixture with air.

**11. TOXICOLOGICAL INFORMATION****Acute toxicity**

no data available

**Irritation and corrosion**

no data available

**Sensitisation**

no data available

**Chronic exposure**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Signs and Symptoms of Exposure**

Nausea, Headache, Vomiting

**Potential Health Effects**

<b>Inhalation</b>	May be harmful if inhaled. Causes respiratory tract irritation.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin irritation.
<b>Eyes</b>	Causes eye irritation.
<b>Ingestion</b>	May be harmful if swallowed.

**Additional Information**

RTECS: TZ7302000

**12. ECOLOGICAL INFORMATION****Elimination information (persistence and degradability)**

no data available

**Ecotoxicity effects**

no data available

**Further information on ecology**

no data available

### 13. DISPOSAL CONSIDERATIONS

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

#### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### DOT (US)

UN-Number: 2402 Class: 3 Packing group: II  
Proper shipping name: Propanethiols  
Marine pollutant: No  
Poison Inhalation Hazard: No

#### IMDG

UN-Number: 2402 Class: 3 Packing group: II EMS-No: F-E, S-D  
Proper shipping name: PROPANETHIOLS  
Marine pollutant: No

#### IATA

UN-Number: 2402 Class: 3 Packing group: II  
Proper shipping name: Propanethiols

### 15. REGULATORY INFORMATION

#### OSHA Hazards

Flammable liquid, Irritant

#### DSL Status

All components of this product are on the Canadian DSL list.

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

#### Massachusetts Right To Know Components

Propane-2-thiol

CAS-No.  
75-33-2

Revision Date

#### Pennsylvania Right To Know Components

Propane-2-thiol

CAS-No.  
75-33-2

Revision Date

#### New Jersey Right To Know Components

Propane-2-thiol

CAS-No.  
75-33-2

Revision Date

**California Prop. 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**16. OTHER INFORMATION****Further information**

Copyright 2009 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.