

# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**ISGAS, INC.**  
**5645 RANSOM**  
**HOUSTON, TX 77087**  
**713-645-5886**

**EMERGENCY CONTACT:**  
**CHEMTREC 1-800-424-9300**  
**INFORMATION CONTACT:**

**SUBSTANCE: HELIUM, BLEND**

**TRADE NAMES/SYNONYMS: BL0505009**

**CHEMICAL FAMILY:** inorganic, gas  
**CREATION DATE:** July 9, 2005

## 2. COMPOSITION, INFORMATION ON INGREDIENTS

Chemical	Concentration	Unit	CAS
Helium	99.944	%	7440-59-7
Hydrogen Sulfide	45.0	ppm	7783-06-4
Carbonyl Sulfide	45.0	ppm	463-58-1
Sulfur Dioxide	45.0	ppm	7446-09-5
Ethyl Mercaptan	45.0	ppm	75-08-1
Dimethyl Sulfide	45.0	ppm	75-18-3
Carbon Disulfide	45.0	ppm	75-15-0
Isopropyl Mercaptan	45.0	ppm	75-33-2
tert-Butyl Mercaptan	45.0	ppm	75-66-1
Propyl Mercaptan	45.0	ppm	107-03-9
Ethyl Methyl Disulfide	45.0	ppm	624-89-5
sec-Butyl Mercaptan	45.0	ppm	513-53-1
2-Ethylthiophene	10.0	ppm	872-55-9
Diethyl disulfide	45.0	ppm	110-81-6
Benzo[b]Thiophene	10.0	ppm	95-15-8

## 3. HAZARDS IDENTIFICATION

**NFPA RATINGS (SCALE 0-4):** HEALTH=0 FIRE=0 REACTIVITY=0

**EMERGENCY OVERVIEW:**

**COLOR:** colorless

**PHYSICAL FORM:** gas

**ODOR:** odorless

**MAJOR HEALTH HAZARDS:** difficulty breathing

**PHYSICAL HAZARDS:** Containers may rupture or explode if exposed to heat.

**POTENTIAL HEALTH EFFECTS:**

**INHALATION:**

**SHORT TERM EXPOSURE:** nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, emotional disturbances, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma

**LONG TERM EXPOSURE:** no information is available

**SKIN CONTACT:**

**SHORT TERM EXPOSURE:** frostbite

**LONG TERM EXPOSURE:** no information is available

**EYE CONTACT:**

**SHORT TERM EXPOSURE:** frostbite, blurred vision

**LONG TERM EXPOSURE:** no information is available

**INGESTION:**

**SHORT TERM EXPOSURE:** ingestion of a gas is unlikely

**LONG TERM EXPOSURE:** ingestion of a gas is unlikely

#### 4. FIRST AID MEASURES

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

**SKIN CONTACT:** Wash exposed skin with soap and water.

**EYE CONTACT:** Flush eyes with plenty of water.

**INGESTION:** If a large amount is swallowed, get medical attention.

**NOTE TO PHYSICIAN:** For inhalation, consider oxygen.

#### 5. FIRE FIGHTING MEASURES

**FIRE AND EXPLOSION HAZARDS:** Negligible fire hazard. Containers may rupture or explode if exposed to heat.

**EXTINGUISHING MEDIA:** carbon dioxide, regular dry chemical

Large fires: Use regular foam or flood with fine water spray.

**FIRE FIGHTING:** Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile).

#### 6. ACCIDENTAL RELEASE MEASURES

**OCCUPATIONAL RELEASE:**

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

#### 7. HANDLING AND STORAGE

**STORAGE:** Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

### **EXPOSURE LIMITS:**

#### **HELIUM:**

ACGIH (simple asphyxiant)

**VENTILATION:** Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:** Eye protection not required, but recommended.

**CLOTHING:** Protective clothing is not required.

**GLOVES:** Protective gloves are not required.

**RESPIRATOR:** Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use.

#### **For Unknown Concentrations or Immediately Dangerous to Life or Health -**

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** gas

**COLOR:** colorless

**ODOR:** odorless

**TASTE:** tasteless

**MOLECULAR WEIGHT:** 4.0026

**MOLECULAR FORMULA:** He

**BOILING POINT:** -452 F (-269 C)

**FREEZING POINT:** -458 F (-272 C) @ 26 atm

**VAPOR PRESSURE:** 1719 mmHg @ -268 C

Page 4 of 6

**VAPOR DENSITY (air=1):** 0.138

**SPECIFIC GRAVITY:** Not applicable

**DENSITY:** 0.1785 g/L @ 0 C

**WATER SOLUBILITY:** 0.94% @ 0 C

**PH:** Not applicable

**VOLATILITY:** Not applicable

**ODOR THRESHOLD:** Not available

**EVAPORATION RATE:** Not applicable

**VISCOSITY:** 0.02012 cP @ 26.8 C

**COEFFICIENT OF WATER/OIL DISTRIBUTION:** Not applicable

**SOLVENT SOLUBILITY:**

**Insoluble:** alcohol

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:** Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

**INCOMPATIBILITIES:** No data available.

**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products: miscellaneous decomposition products

**POLYMERIZATION:** Will not polymerize.

## 11. TOXICOLOGICAL INFORMATION

Not available

## 12. ECOLOGICAL INFORMATION

Not available

## 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.

Page 5 of 6

## 14. TRANSPORT INFORMATION

**U.S. DOT 49 CFR 172.101:**

**PROPER SHIPPING NAME:** Helium, compressed

**ID NUMBER:** UN1046

**HAZARD CLASS OR DIVISION:** 2.2

**LABELING REQUIREMENTS:** 2.2

**CANADIAN TRANSPORTATION OF DANGEROUS GOODS:**

**SHIPPING NAME:** Helium, compressed

**UN NUMBER:** UN1046

**CLASS:** 2.2

## 15. REGULATORY INFORMATION

**U.S. REGULATIONS:**

**CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):** Not regulated.

**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):** Not regulated.

**SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40):** Not regulated.

**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**

ACUTE: Yes

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: Yes

**SARA TITLE III SECTION 313 (40 CFR 372.65):** Not regulated.

**OSHA PROCESS SAFETY (29CFR1910.119):** Not regulated.

**STATE REGULATIONS:**

**California Proposition 65:** Not regulated.

**CANADIAN REGULATIONS:**

**WHMIS CLASSIFICATION:** A.

**NATIONAL INVENTORY STATUS:**

**U.S. INVENTORY (TSCA):** Listed on inventory.

**TSCA 12(b) EXPORT NOTIFICATION:** Not listed.

**CANADA INVENTORY (DSL/NDSL):** Not determined.

## 16. OTHER INFORMATION

**ISGAS, INC. MAKES NO EXPRESS OR IMPLIED WARRANTIES, GUARANTEES OR REPRESENTATIONS REGARDING THE PRODUCT OR THE INFORMATION HEREIN, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR USE. ISGAS, INC. SHALL NOT BE LIABLE FOR ANY PERSONAL INJURY, PROPERTY OR OTHER DAMAGES OF ANY NATURE, WHETHER COMPENSATORY, CONSEQUENTIAL, EXEMPLARY, OR OTHERWISE, RESULTING FROM ANY PUBLICATION, USE OR RELIANCE UPON THE INFORMATION HEREIN.**