

MATERIAL SAFETY DATA SHEET

NFPA	WHMIS	Personal Protective Equipment	Transport Symbol
	Not Controlled		Not Regulated

Preparation Date: 2-May-2001 Revision Date 16-July-2007 Revision Number 4

1. PRODUCT and COMPANY IDENTIFICATION

Generic Product Name Celfort® Extruded Polystyrene Insulation

Common name Celfort® 200, Celfort® 200 Cel-Lok® System, CodeBord (Celfort® 200),

Celfort® 300, Celfort® 200 Cel-Drain, Foamular® 350, Foamular® 400, Foamular® 600, Foamular® 1000, Foamular® THERMAPINK®, Pipe

Fabrication Billet

MSDS No. 24901-NAM-EN

Recommended Use Insulation

Contact manufacturer Owens Corning foam insulation, LLC

One Owens Corning Parkway

Toledo, OH 43659

Emergency telephone number Emergencies Only (after 5 pm AND weekends) 1-419-248-5330

CHEMTREC (24 hours everyday) 1-800-424-9300 CAUNTEC (Canada – 24 hours everyday) 1-613-996-6666

Health and Technical contacts Health Issues Information (8am-5pm ET): 1-419-248-8234

Technical Product Information (8am-5pm ET): 1-800-GET-PINK or

1-800-438-7465

2. HAZARD IDENTIFICATION

Emergency Overview

Dense Black Smoke will be produced during a fire

Grinding, sawing, or fabrication activities can produce dust particles which may under certain conditions form explosive dust atmospheres that can be ignited.

Appearance: Pink, White, GreenPhysical State: SolidOdor: Odorless

Potential Health Effects

Principle Routes of Exposure Eye

Inhalation

Acute Effects

• Eyes Dust may cause slight irritation

Skin No effects expected

Inhalation Dust may cause irritation of respiratory tract

Ingestion Ingestion of material is unlikely

Chronic Effects There is no known chronic health effect connected with long-term use or contact with these

products

Aggravated Medical Conditions

Chronic respiratory or skin conditions may temporarily worsen from exposure to this product

Carcinogenic Status

This product is not considered a carcinogen

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Potential Environmental Effects

There is no known ecological information for this product

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Component	Percent by Wt.
9003-53-6	Polystyrene	60-100
75-68-3	HCFC-142b	7-13
3194-55-6	Hexabromocyclododecane (HBCD)	0-1.5
75-45-6	HCFC-22	1-5

Non-Hazardous Statement

The remaining components of this product are non-hazardous or are in small enough quantities as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

4. FIRST AID MEASURES

Eye contact • Rinse immediately with plenty of water, also under the eyelids, for at least 15

Minutes

Do not rub or scratch eyes

· If eye irritation persists, consult a specialist

• Wash off immediately with soap and water.

· If skin irritation persists, call a physician

Ingestion
 Accidental ingestion of this material is unlikely

· If this does occur, watch person for several days to make sure intestinal

blockage does not occur

• If symptoms persist, call a physician

Inhalation • Move to fresh air

· If symptoms persist, call a physician

Page 2/7 Revision Date: 16-July-2007

5. FIRE-FIGHTING MEASURES

Flammability/Combustibility Properties Non-flammable

Suitable extinguishing media dry chemical

foam

carbon dioxide (CO2)

water fog

Unsuitable Extinguishing Media None

Hazardous Combustion Products

- Carbon Monoxide
- Carbon Dioxide (CO2)
- Styrene
- Small quantities of hydrogen fluoride, hydrogen chloride, fluorine and chlorine could be released.
- Other undetermined compounds could be released in small quantities

HCFC-142b and HCFC-22 thermally decomposes at > 430°C (850°F). Decomposition products include:

- Hydrogen Fluoride
- Hydrogen Chloride
- Fluorine
- Chlorine

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Not available Not available

Special Hazards Arising from the Chemical

Grinding, sawing, or fabrication activities of the pellets can produce dust particles which may under certain conditions form an explosive dust atmosphere that can be ignited.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus (SCBA) and full fire fighting protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Avoid contact with eyes and inhalation.

Methods for Containment • Material will settle out of air

· Prevent from spreading by covering or other means

Wethods for Clean-up
 Use an industrial vacuum cleaner to clean up dust

· Avoid dry sweeping

· After cleaning, flush away traces with water

· Pick up and transfer to properly labeled containers

7. HANDLING AND STORAGE

HandlingAvoid dust formation

· Do not breathe dust

· Wear personal protective equipment

Page 3/7 Revision Date: 16-July-2007

Storage

- Keep product in its packaging until use to minimize potential dust generation.
- · Material should be kept dry and covered

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

	ACGIH TLV	OSHA PEL
Polystyrene 9003-53-6	10 mg/m³ (inhalable particulate) 3 mg/m³ (respirable fraction – PNOC)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction –PNOC)
HCFC-22 75-45-6	1000 ppm – TWA	1000 ppm - TWA

Engineering Controls

- Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended limits.
- Grinding, sawing or fabrication activities of the Foamular® board can produce dust particles which may under certain conditions form explosive dust atmospheres that can be ignited.
- Dust collection system must be used in transferring operations, cutting or machining or other dust generating process.
- · Vacuum or wet clean-up methods should be used

Personal protective equipment

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Safety glasses with side-shields **Eye/face Protection**

Skin Protection Protective gloves

Long sleeved shirt and long pants

General Hygiene Considerations • Wash hands before breaks and immediately after handling the product

Method ASTM D1929

· Remove and wash contaminated clothing before re-use

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pink, white, green

Odorless Odor **Physical State** Solid

pН Does not apply Flash point >615°F/324°C

Autoignition temperature Does not apply

Decomposes over 600°F/316°C **Boiling Point** Melting point/range Softens @ 220°F/104°C

Flammability Limits in Air lower / upper /

Explosive properties Not available **Oxidizing properties** Does not apply **Vapor Pressure** Does not apply **Specific Gravity** 0.021-0.064 (water=1)

Water solubility Insoluble **VOC** content Not available

10. STABILITY AND REACTIVITY

Chemical Stability Stable

Conditions to avoid Dispersion of dust in air

Page 4/7 Revision Date: 16-July-2007 Incompatible Materials Hydrocarbons

Esters Amines

Hazardous decomposition products

- Carbon Monoxide
- Carbon Dioxide (CO2)
- Styrene
- Small quantities of hydrogen fluoride, hydrogen chloride, fluorine and chlorine could be released.
- Other undetermined compounds could be released in small quantities

HCFC-142b thermally decomposes at > 430°C (850°F). Decomposition products include:

- Hydrogen Fluoride
- Hydrogen Chloride
- Fluorine
- Chlorine

Possibility of Hazardous Reactions

Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

General Product Information

Dusts from cutting and drilling may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. Higher exposures may cause difficulty breathing, congestion and chest tightness.

Component Analysis - LD50/LC50

Ì	Component	CAS#	LD50 Oral	LC50 Inhalation
	HCFC-142b	75-68-3		2050 gm/m³ 4H Rat 1758 gm/m³ 2H Mouse
	HCFC-22	75-45-6		35 ppm/15M Rat 1380 mg/m³ 2H Mouse

Chronic toxicity

Component Analysis

	ACGIH	IARC	OSHA	NTP	Mexico
Polystyrene 9003-53-6		Group 3 not classifiable			
HCFC-22 75-45-6	A4 not classifiable	Group 3 not classifiable			

Allergy No information available

Neurological Effects No information available

Mutagenic Effects No information available

Reproductive Effects No information available

Developmental EffectsNo information available

Target Organ Effects No information available

Page 5/ 7 Revision Date: 16-July-2007

12. ECOLOGICAL INFORMATION

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish

Chemical Fate

Persistance/DegradabilityNot availableBioaccumulation/AccumulationNot availableMobility in Environmental MediaNot available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with Local, State, Federal and Provincial regulations.

Contaminated packaging Empty containers should be taken for local recycling, recovery or waste disposal.

US EPA Waste NumberNo EPA Waste Numbers are applicable for this product's components.

RCRA This material is not expected to be a characteristic hazardous waste under RCRA

14. TRANSPORT INFORMATION

DOT not regulated **TDG** not regulated not regulated IMDG/IMO <u>RID</u> not regulated **ADR** not regulated **ICAO** not regulated **IATA** not regulated not regulated MEX

15. REGULATORY INFORMATION

International Inventories

All components of this product are either listed on the following inventories or are exempt.

Component	CAS#	TSCA	DSL	EINECS
Polystyrene	9003-53-6	Yes	Yes	No
HCFC-142b	75-68-3	Yes	Yes	Yes
Hexabromocyclododecane	3194-55-6	Yes	Yes	Yes
HCFC-22	75-45-6	Yes	Yes	Yes

USA

Federal Regulations

SARA 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)

This product does contain a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

HCFC-142b – form R reporting required for 1.0% de minims concentration HCFC-22 – form R reporting required for 1.0% de minims concentration

Page 6/7 Revision Date: 16-July-2007

SARA 311/312 Hazardous Categorization

Acute Health Hazards no
Chronic Health Hazards no
Risk of Ignition no
Sudden Release of Pressure
Reactive Hazard no

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs

State Regulations

California Proposition 65

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the State of California to cause cancer.

State Right-To-Know

	CA	MA	MN	NJ	PA	IL	RI
HCFC-142b		Х		Х	Χ	X	X
HCFC-22	Х	Х	Χ	Х	Χ	Χ	Х

Canada

Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS#	
HCFC-142b	75-68-3	1% item 357 (425)
HCFC-22	75-45-6	1% item 358 (426)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Status Not Controlled

WHMIS Classification None

16. OTHER INFORMATION

Preparation Date: 2-May-2001

Revision Date 16-July-2007

Revision Summary Format was changed, new company name

Disclaimer

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use

End of Safety Data Sheet

Page 7/7 Revision Date: 16-July-2007