SIGMA-ALDRICH

sigma-aldrich.com

Material Safety Data Sheet

Version 4.0 Revision Date 03/13/2010 Print Date 07/27/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Methacrolein

Product Number : 133035 Brand : Aldrich

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +18003255832 Fax : +18003255052 Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable liquid, Toxic by ingestion, Toxic by skin absorption, Corrosive

Other hazards which do not result in classification

Lachrymator.

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

HMIS Classification

Health hazard: 3 Flammability: 3 Physical hazards: 0

NFPA Rating

Health hazard: 3 Fire: 3 Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin Toxic if absorbed through skin. Causes skin burns.

Aldrich - 133035 Page 1 of 6

Eyes Causes eye burns.

Ingestion Toxic if swallowed. Causes burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Methacrylaldehyde

Formula : C₄H₆O Molecular Weight : 70.09 g/mol

CAS-No.	EC-No.	Index-No.	Concentration
Methacrolein			
78-85-3	201-150-1	-	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Aldrich - 133035 Page 2 of 6

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Recommended storage temperature: 2 - 8 °C

Light sensitive. Air sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum).

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Safety data

pH no data available

Melting point -81 °C (-114 °F) - lit.

Boiling point 68 - 70 °C (154 - 158 °F) - lit. Flash point -15 °C (5 °F) - closed cup

Ignition temperature no data available
Lower explosion limit no data available
Upper explosion limit no data available

Vapour pressure 368.763 hPa (276.595 mmHg) at 20 °C (68 °F) 926.388 hPa (694.848 mmHg) at 55 °C (131 °F)

Density 0.85 g/cm3 at 25 °C (77 °F)

Water solubility no data available

Relative vapour 2.42

density - (Air = 1.0)

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Aldrich - 133035 Page 3 of 6

Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Conditions to avoid

Air Light.

Heat, flames and sparks.

Materials to avoid

Strong bases, Strong oxidizing agents, Strong reducing agentsStrong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Dermal - rabbit - 366 mg/kg

Skin corrosion/irritation

Skin - rabbit -

Serious eye damage/eye irritation

Eyes - rabbit -

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure (GHS)

no data available

Specific target organ toxicity - repeated exposure (GHS)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Ingestion Toxic if swallowed. Causes burns.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

Additional Information

RTECS: OZ2625000

Aldrich - 133035 Page 4 of 6

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 2396 Class: 3 (6.1) Packing group: II

Proper shipping name: Methacrylaldehyde, stabilized

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN-Number: 2396 Class: 3 (6.1) Packing group: II EMS-No: F-E, S-D

Proper shipping name: METHACRYLALDEHYDE, STABILIZED

Marine pollutant: No

IATA

UN-Number: 2396 Class: 3 (6.1) Packing group: II

Proper shipping name: Methacrylaldehyde, stabilized

15. REGULATORY INFORMATION

OSHA Hazards

Flammable liquid, Toxic by ingestion, Toxic by skin absorption, Corrosive

DSL Status

This product contains the following components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

CAS-No. 78-85-3

Methacrolein

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Aldrich - 133035 Page 5 of 6

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Methacrolein	78-85-3	1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Methacrolein	78-85-3	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Methacrolein	78-85-3	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 133035 Page 6 of 6